


Stade V ou Tier 4 Final.



KROKODILE

TECHNICAL DATA
SPÉCIFICATIONS PRODUIT
ESPECIFICACION TÉCNICA

KROKODILE

Flexible, powerful, economical. Our KROKODILE gives you all the advantages of mobile shredding while being extremely compact. This all-rounder shreds even difficult materials with its robust design and powerful engine.

This type of shredder have the opportunity to choose the control program depending on the type of feed material.

1. SHREDDER/BROYEUR/TRITURATOR
2. FEEDER/TREMIE/TOLVA
3. POWERUNIT/MOTEUR/ACCIONAMIENTO
4. CONVEYOR/BANDE/CINTA
5. TRACKS/CHENILLES/ORUGA




Flexible, puissant, économique.
Notre broyeur à rotor
KROKODILE est une machine sur
chenilles qui permet de
concasser une variété et monter
sur Skid de matériaux tels que
les gravats, le béton, l'asphalte,
les bois ect.

Ce type de broyeur a la
possibilité de choisir le
programme de contrôle du type
de matériel à traiter.

Flexible, potente, económico.
Nuestro triturador de piedra y
escombros KOMPLET puede
triturar una multitud de
materiales de gran dureza como
hormigón, asfalto, madera etc.

Este tipo de trituradora tiene la
posibilidad de elegir el
programa de control del tipo de
material a tratar.





TECHNICAL DATA

SPÉCIFICATIONS PRODUIT

ESPECIFICACION TÉCNICA

SHAFTS

BROYEUR

TRITURATOR

1500mm X 2 (60")

0-45 RPM

160.000 torque

OUTPUT POTENTIAL UP TO

PRODUCTION/RENDEMENT JUSQU'A'

PRODUCCION HASTA

200tph / 220 US tph C&D/ASPHALT

20tph / 22 US tpd WOOD/WASTE

60mm to 150mm (3-1/4" TO 5-3/4")

PRODUCT CONVEYOR

CONVOYEURS

CINTA DE DESCARGA

POWERUNIT

MOTEUR

ACCIONAMIENTO

Stage V: 160kW / 220Hp Diesel Engine

Tier 4Final: 160kW / 220Hp Diesel Engine

Stage 3A: 160kW / 220Hp Diesel Engine

WEIGHT

POIDS

PESO

14.000kgs (29.763lbs)

STANDARD MACHINE


GENERAL MACHINE

STANDARD

Remote & doglead control – Antidust nozzles

Radio et Télécommande - Reduction de poussiere

Remoto - Reduccion de polvo



**paddle shaft for
universal waste**

**teeth shaft
for c&d - asphalt**










OPTION

Overband magnetic
with raise&lower system
rear tilt hopper –shafts for wood

Bande Magnetique
trémie inclinable –Rotor bois

Separator magnetico
tolva abatible –Ejesde trituracion madera





QUICK, EASY AND SAFE TRANSPORT
TRANSPORT RAPIDE, FACILE ET SÛR
TRANSPORTE RÀPIDO, FACIL Y ASEGURADO

